

# HARYANA STATE POLLUTION CONTROL BOARD

SCF-32, sector 13, HUDA, Bhiwani Ph. 01664-240259 Email:-

hspcbrojr@gmail.com



No. HSPCB/BMW/2020-2021

Authorization No. BMW20BHI7963772

Dated 14/08/2020

Application No.  
7963772

Date of Submission 06/08/2020



## Sub: Renewal of Authorization under Bio Medical Waste Management Rules, 2016.

1. M/s : Maruti Bio Medical Waste Plant an occupier or operator of the facility located at VPO Hetampura Distt Bhiwani, is hereby granted an authorisation for; Collection,Storage,Reception,Transportation,Treatment or processing or conversion,Disposal or destruction use

2. M/s : Maruti Bio Medical Waste Plant is hereby authorized for handling of Biomedical Waste as per the capacity given below;

(i) Number of beds of HCF: 4750

(ii) Number healthcare facilities covered by CBMWTF: 515

(iii) Installed treatment and disposal capacity: 1000 Kg/Day

(iv) Area or distance covered by CBMWTF: 150 KM

(v) Quantity of Biomedical waste handled, treated or disposed:

Category	Type of Waste	Quantity Generated or collected in Kg/day
Yellow	a) Human Anatomical Waste	
	b) Animal Anatomical Waste	
	c) Soiled Waste	590
	d)Expired or Discarded Medicines	
	e)Chemical Solid Waste	
	f) Chemical Liquid Waste	
	g)Discarded linen, mattresses, beddings contaminated with blood or body fluid	
	h) Microbiology, Biotechnology and other clinical laboratory waste	
Red	Contaminated waste (Recyclable)	55
White(Translucent)	Waste sharps including Metals	20
Blue	Glassware	25
	Metallic Body Implants	

3. This authorisation shall be in force for a period of 01/10/2020 To 30/09/2025 Year from the date of issue.

4. This authorisation is subject to the condition stated below and to such other condition as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

## TERMS & CONDITIONS OF AUTHORISATION:-

1. The applicants shall comply with the provisions of Bio-Medical Waste Management Rules 2016 notified vide No.S.O. 630(E) dated 20th July,2016
2. Bio-Medical Waste shall be treated & disposed off in Compliance with the standards prescribed in Schedule 1.
3. Every occupier where required shall setup in accordance with the time schedule-IV, requisite treatment Bio-Medical Waste treatment facilities like incinerator,autoclave,microwave system for the treatment of the waste at a common waste treatment facility or any other waste treatment facility.
4. Bio-Medical Waste shall not be mixed with any other waste.
5. Bio-Medical Waste shall be segregated into containers/bags at apppoint of generation with Shedule-II prior to its storage, transporton,treatment & disposal.The containers shall be labeled according to Schedule-II
6. If a container is transported from the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises, the container shall apart from the label prescribed in schedule III, also carry information according to Schedule IV.
7. Notwithstanding anything contains in Motors Vehicle Act, 1995 or rules there under, untreated the Bio-medical Waste shall be transported only in such vehicle as may be authorised for the purpose by the competent authority as specified by the Govt.
8. No untreated Bio-Medical Waste Shall be kept stored beyond a period of 48 hours.
9. Every authorised person shall maintain records related to the generation, collection, reception, storage, transportation, treatment disposal of Bio-Medical Waste in accordance with those rules & any guideline issued.
10. All records shall be subject to inspection & verifications by the prescribed authority at any time.
11. Suitably designed pollution control devices should be installed/retrofitted with the incinerator to acheive the above emission limits, if necessary.
12. Waste to be incinarated shall not be chemically treated with any chlorinated disinfectants.
13. Chlorinated plastics shall not be incinarated.Toxic metals in incinaration ash shall be limited with the regulatory quantities as defined under the Hazardous Waste Management Rules, 2016.
14. Only low sulphur fuel like L.D.O/L.S.H.S/Deisel shall be used as fuel in the incinarator.
15. Occupier will comply all direction for generation, collection, reception, storage, transportation, treatment, disposal as per Bio-Medical Waste Management Rules 2016 & will ensure that there is no adverse effect to human & Environment.
16. The occupier will segregate the Bio-Medical Waste at the point of generation in accordance with the special-II of Bio-Medical Waste Management Rules, 2016.
17. The authorization would be subject/having proper disposal system for Bio-Medical Waste.
18. The unit shall maintained a log Book for suggestion/collection of Bio-Medical Waste at the source (i.e.wards) and also for each category of waste i.e.incienaration, autoclaving or landfill etc.
19. The yellow Bags should be non chlorinated bags.

20. The every occupier will also submit the copy of agreement every year before 30th April from any authorised services provider.

### **Specific Conditions**

#### **General Deficiencies**

1. 1. The unit will submit Annual Return as per BMW Rules, 2016. 2. Unit will apply for BMW authorization before 90 days of expiry of the authorization. 3. Unit will strictly comply with the BMW Rules, 2016.

