



HARYANA STATE POLLUTION CONTROL BOARD

SCF-32, sector 13, HUDA, Bhiwani Ph. 01664-240259 Email:- hspcbrojr@gmail.com

E-mail: hspcb@hry.nic.in



No. HSPCB/Consent/ : 320220920BHICTO7963615

Dated:24/08/2020

To.

M/s :Maruti Bio Medical Waste Plant
VPO Hetampura Distt Bhiwani

Subject: Grant of consent to operate to M/s Maruti Bio Medical Waste Plant.

Please refer to your application no. 7963615 received on dated 2020-07-30 in regional office Bhiwani. With reference to your above application for consent to operate, M/s Maruti Bio Medical Waste Plant is here by granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	01/10/2020 - 30/09/2025
Industry Type	Common treatment and disposal facilities(CETP, TSDF, E- waste recycling, CBMWTF, effluent conveyance project, incinerator, solvent/acid recovery plant, MSW sanitary land fill site)
Category	RED
Investment(In Lakh)	41.5
Total Land Area(Sq. meter)	4046.0
Total Builtup Area(Sq. meter)	2023.0
Quantity of effluent	
1. Trade	2.0 KL/Day
2. Domestic	0.5 KL/Day
Number of outlets	2.0
Mode of discharge	
1. Domestic	septic tank with soak pit
2. Trade	Treated through ETP & use in plantation
Domestic Effluent Parameters	
1. NA	
Trade Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
4. O & G	100 mg/l
Number of stacks	1
Height of stack	
1. Stack attached to incinerator section	30 meter

Emission parameters	
1. SPM	50 mg/m ³
Product Details	
1. /CBWTF	0.772 Metric Tonnes/day
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Diesel	210 KL/day
Raw Material Details	
Bio Medical Waste	700 Kg/Day

Regional Officer, Bhiwani
Haryana State Pollution Control Board.

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of

change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.

11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.

12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.

13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.

14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.

15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.

16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

Specific Conditions :

1. unit will run & maintain PCDs.2.Unit will apply for CTO before 90 days expire of this CTO.3.Unit will make stringent compliance of CPCB guidelines & BMW Rules ,2016.

***Regional Officer, Bhiwani
Haryana State Pollution Control Board.***

